

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12	1339	707/103R.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:31
S13	243	hierarch\$4 and inherit and 707/103R.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:01
S14	97	hierarch\$4 same inherit and 707/103R.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:33
S15	64	hierarch\$4 same inherit same class and 707/103R.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:33
S16	56	hierarch\$4 same inherit with class and 707/103R.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:33
S17	19	hierarch\$4 with inherit with class and 707/103R.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:34
S18	5	hierarch\$4 with inherit with class with property and 707/103R.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:27
S19	13	hierarch\$4 with inherit with class with property and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:44

EAST Search History

S20	17	hierarch\$4 same inherit same class same property and 707/103R.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:28
S21	5	hierarch\$4 with inherit with class with property and 707/103R.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:28
S22	12	hierarch\$4 same inherit same class same property and 707/103R.ccls. not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:56
S23	495	user and regist\$5 and (control adj system or industrial adj control) and query and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:57
S24	0	user with regist\$5 with query same (control adj system or industrial adj control) and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:58
S25	0	user with regist\$5 same query same (control adj system or industrial adj control) and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:58
S26	28	user with regist\$5 same query and (control adj system or industrial adj control) and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:09
S27	0	hierarch\$4 and negative adj2 inherit\$4 and 707/103R.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:03

EAST Search History

S28	10	hierarch\$4 and (no\$1 or negative) adj2 inherit\$4 and 707/103R.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:03
S29	6	hierarch\$4 and ("not" or no or negative) adj2 inherit\$4 and 707/103R.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:03
S30	35	user same regist\$5 same query and registry and (control adj system or industrial adj control) and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 09:41
S32	3132	user same regist\$5 same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 09:41
S33	817	user with regist\$5 with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 09:42
S36	1586	(707/103R.ccls. or 707/103Y.ccls. or 707/103X.ccls. or 707/103Z.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 09:43
S37	6	user with regist\$5 with query and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 09:53
S38	0	user same regist\$5 with (typical\$2 or common or default) adj (propert&3 or attribute) same query and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 09:55

EAST Search History

S39	0	user same regist\$5 same (typical\$2 or common or default) adj2 (propt&3 or attribute) same query and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 09:55
S40	6	user same regist\$5 same (typical\$2 or common or default) adj2 (propt&3 or attribute) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:00
S41	1	user same regist\$5 same (typical\$2 or common or default) adj3 (propt&3 or attribute) same query not S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:00
S42	0	user same regist\$5 same (typical\$2 or common or default) adj5 (propt&3 or attribute) same query not (S40 or S41)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:01
S43	9	user same regist\$5 same (typical\$2 or common or default) with (propt&3 or attribute) same query not (S40 or S41)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:02
S44	168	user same regist\$5 and (typical\$2 or common or default) with (propt&3 or attribute) same query not (S40 or S41 or S43)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:02
S45	125	user with regist\$5 and (typical\$2 or common or default) with (propt&3 or attribute) same query not (S40 or S41 or S43)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:03
S46	469	user with regist\$5 and (typical\$2 or common or default) with (propt&3 or attribute) with set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:04

EAST Search History

S47	10	user adj3 regist\$5 and (typical\$2 or common or default) adj3 (propt&3 or attribute) adj3 set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:06
S48	19	user with regist\$5 same (typical\$2 or common or default) with (propt&3 or attribute) with set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:09
S49	114	user with regist\$5 same (typical\$2 or common or default) with (propt&3 or attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:10
S50	18	user with regist\$5 same (typical\$2 or common or default) with (propt&3 or attribute) and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:33
S51	416	user with (typical\$2 or common or default) with (propt&3 or attribute) with set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:33
S52	7	user adj3 (typical\$2 or common or default) adj3 (propt&3 or attribute) adj3 set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:34
S53	10	user adj5 (typical\$2 or common or default) adj5 (propt&3 or attribute) adj5 set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:40
S54	14	user adj7 (typical\$2 or common or default) adj7 (propt&3 or attribute) adj7 set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:40

EAST Search History

S55	4	user adj7 (typical\$2 or common or default) adj7 (property or attribute) adj7 set not S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:40
-----	---	---	---	----	----	------------------